


# 500S&1000S specification




## P3.91/P4.81/P2.976/P2.604


product name	500×500-S indoor&outdoor Cabinet 500×1000-S indoor&outdoor Cabinet
Module specification	250mmx250mm P3.91/P4.81/P2.976/P2.604
Cabinet Size	500x500、500mm×1000mm×62mm
Weight	500x500 is 2.85kg、1000x500 is 4.3kg (Aluminum door)
Cabinet Color	Silver
Door Color	Silver
Installation	Hoisting and fixed installation
Single box Module number	500x500 is Four modules per Cabinet 、1000x500 is Eight modules per Cabinet
Environment	(IP65) Outdoor- Ip65
Standard accessories	door plank、handle、locating pins、quicklocks、power strip, connectingpiece





# 1 500S Box appearance



Straight Cabinet




Arc Cabinet





45° Cabinet

The 45-degree special lock can be quickly disassembled to achieve 45-degree + straight + arc function switching


# 2 1000-S Box appearance



Straight Cabinet




Arc Cabinet



45° Cabinet

→ The 45-degree special lock can be quickly disassembled to achieve 45-degree + straight + arc function switching



# 3 Hoisting and fixed installation





# 4 Cabinet Features






The cabinet is lightweight  
500S cabinet 2.85KG 1000S cabinet 4.3KG




# 5 Box specification





7


# Assembly of straight screen 1000S and 500S



8 Arc Screen




The S cabinet can be  
assembled with the N cabinet





500N

500S



9

# 45°Assembly of straight screen






The 45-degree cabinet can be replaced with an L block to achieve flat function switching

10

45°Screen


**Kmt**  
LED



# 1 1 Spacing series



P3.91/P4.81/P2.976/P2.604





Thanks