

LCD SERIES

Outdoor TV / Advertising Player

43" 49" 55" 65" 75" 86" 98"

4K LCD Outdoor TV / Advertising Player



SUNLIGHT
VIEWABLE IMAGE



4K UHD
RESOLUTION



BUILT-IN
MEDIA PLAYER



THERMAL
MANAGEMENT



TRUECOLOR™
CALIBRATED

SPECIFICATION:

Model		
LCD	Size	43 inch 49 inch 55 inch 65 inch 75 inch
	Native Resolution	3840×2160
	Brightness	1500nits 2500 nits
	Contrast Ratio	1200:1
	Light Lifetime (Typ.)	50000 Hours
Electrical parameters	Rated input voltage	AC 100-240V 50/60Hz
	Power Consumption (Max)	220W 260W 280W 300W 450W
	Standby Power consumption	≤0.5W
System parameters	System	Google TV + Dolby Atmos
	Main Chip	MT9602
	CPU	ARMCortex-A53 quad core 1.5 GHz
	DDR3/Flash	2G/16G
	Network	100MDHCP/2.4G&5G,2T2R
	WIFI	802.11a/b/g/n/ac(2T2R)
	Port	HDMI*3 USB2.0*2 RG45*1 Tuner*1 CVBS In*1
	Control	Bluetooth +IR
	Bluetooth	Bluetooth5.1
	Language	English/Chinese
Mechanical Specs	Bezel Width (T/B/L/R) mm	20/20/20/20
	Color	Black
	Monitor Dimension (LxHxD)	43" : 983.8×572×105
		49" : 1116.4×646.6×105
		55" : 1253×723×105
		65" : 1468.5×843.6×99.6
		75" : 1695×973×105
	VESA Mounting (LxH) mm	43" 49" 55" : 400×400
		65" : 600×400 75" : 600×500
	Waterproof Level	IP65 IP66
Environment	Operating Temperature	- 10°C-50°C
	Storage Temperature	- 20°C-60°C
	Humidity	10-95%(Non-condensing)
	Sunlight Level	Partial sunlight
Certification	FCC DOE	

Tips: The content of the specification is for reference only, and the specific details are subject to the actual product.


SPECIFICATION:

Model		
LCD	Size	43 inch 49 inch 55 inch 65 inch 75 inch 86 inch 98 inch
	Native Resolution	3840×2160
	Brightness	1500nits 2500 nits
	Contrast Ratio	1200:1
	Light Lifetime (Typ.)	50000 Hours
Electrical parameters	Rated input voltage	AC 100-240V 50/60Hz
	Power Consumption (Max)	220W-1000W
	Standby Power consumption	≤0.5W
System parameters	System	Android 14.0
	Main Chip	T982
	CPU	ARM Cortex-A55*4
	DDR3/Flash	DDR4 4G/EMMC5.1 64G
	Network	RJ45 10/100M
	WIFI	2.4G+5G WIFI
	Port	HDMI In*2 USB3.0*1 USB2.0*1 RG45*1 AUDIOOUT*1
	Control	CS/BS
	Bluetooth	BT5.4
	Language	English/Chinese
Mechanical Specs	Bezel Width (T/B/L/R) mm	20/20/20/20
	Color	Black
	Monitor Dimension (LxHxD)	43" : 983.8×572×105
		49" : 1116.4×646.6×105
		55" : 1253×723×105
		65" : 1468.5×843.6×99.6
		75" : 1695×973×105
		86" : 1939 ×1110×105
		98" : 2202 ×1258×105
	VESA Mounting (LxH) mm	43" 49" 55" : 400×400
		65" : 600×400 75" : 600×500
		86" : 800×500 98" : 900×500
	Waterproof Level	IP65 IP66
Environment	Operating Temperature	- 10°C-50°C
	Storage Temperature	- 20°C-60°C
	Humidity	10-95%(Non-condensing)
	Sunlight Level	Partial sunlight

Tips: The content of the specification is for reference only, and the specific details are subject to the actual product.

65" DIMENSIONS:



Unit: mm [inch]



Ad Player

75" DIMENSIONS:

Unit: mm [inch]



ATTACHMENT PARAMETERS:

1: Instructions	1PC
2: Wall mounts	1PC
3: Remote control	1PC
4: Power cord	1PC
5: 1.5M HDMI cable	1PC

PRECAUTIONS FOR TRANSPORTATION:

1. During the transportation process, the machine should be placed and fixed in strict accordance with the identification of the outer packaging box to avoid the machine tipping and foreign objects during transportation (especially the front of the display screen);
2. Long-distance single transportation requires wooden box or wooden frame protection.